MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

M Method marks, awarded for a valid method applied to the problem.

A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.

B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation '**dep**' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

awrt answers which round to
cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
nfww not from wrong working
oe or equivalent
rot rounded or truncated
SC Special Case
soi seen or implied

Question	Answer	Marks	Partial Marks
1	Expands right hand side and attempts to collect terms	**M1**	
	Factorises or solves *their* 3-term quadratic	**M1**	
	correct CVs $\frac{2}{5}$, $\frac{3}{2}$	**A1**	
	$\frac{2}{5} < x < \frac{3}{2}$ mark final answer	**A1**	**FT** *their* CVs, provided both M marks awarded

Question	Answer	Marks	Partial Marks
2	Valid method to find m $m = \frac{9-7}{10-6}\left[=\frac{1}{2}\right]$	**M1**	
	Valid method to find c e.g. $7 = their\frac{1}{2}\times 6 + c$	**M1**	**FT** *their m*
	$\lg y = \left(their\frac{1}{2}\right)x^3 + their4$	**M1**	
	$y = 10^{\frac{1}{2}x^3+4}$ oe, isw	**A1**	
3	Rewrites in quadratic form soi e.g. $y = 3^x$ then $y^2 - 3y - 4 = 0$ or $(3^x)^2 - 3(3^x) - 4 = 0$	**M1**	
	Factorises or solves *their* 3-term quadratic e.g. $(y + 1)(y – 4)$ [= 0] or $(3^x + 1)(3^x – 4)$ [= 0]	**M1**	
	$3^x = 4$	**A1**	ignore $3^x = –1$
	$x = \log_3 4$ or $\frac{\ln 4}{\ln 3}$ oe, only	**A1**	
4	$\overrightarrow{OC} - \overrightarrow{OA} = 4(\overrightarrow{OC} - \overrightarrow{OB})$ soi	**B1**	
	$[\overrightarrow{OC} =]$ $\begin{pmatrix}15\\-3\end{pmatrix}$	**B2**	**B1** for [x =] 15 or [y =] –3
	$\left\lvert\overrightarrow{OC}\right\rvert = \sqrt{their15^2 + their(-3)^2}$	**M1**	
	$\frac{1}{\sqrt{234}}\begin{pmatrix}15\\-3\end{pmatrix}$ oe	**A1**	**FT** *their* $\begin{pmatrix}15\\-3\end{pmatrix}$ and *their* $\sqrt{234}$
5(a)	Correct V shape with vertex on positive x-axis	**B1**	
	(0, 7)	**B1**	
	$\left(\frac{7}{5}, 0\right)$	**B1**	