
Question	Answer	Marks	Guidance
1(a)	4	**B1**	
1(b)	120^o	**B1**	
1(c)		**3**	To score marks, must have minimum points in the correct quadrants and symmetry about the *y*-axis. **B1** for correct θ intercepts $\pm 40^o$, $\pm 80^o$ and no others **B1** for *y*-intercept of 6 **B1** for a completely correct shape with no errors.
2(a)	$\log_p \frac{12a}{6} = \log_p 4^3$ soi	**2**	**B1** for correct use of addition and subtraction rule **B1** for correct use of power rule
	$a = 32$	**B1**	
2(b)	$4\log_3 x = \frac{9}{\log_3 x}$ or $\frac{4}{\log_x 3} = 9\log_x 3$ soi	**B1**	For change of base
	$(\log_3 x)^2 = \frac{9}{4}$ or $(\log_x 3)^2 = \frac{4}{9}$ soi	**B1**	
	$x = 3^{\pm 1.5}$ or exact equivalents	**2**	**B1** for each solution
3	$\frac{3x^2}{x^3+3}$	**B1**	
	When $x = 1$, $\frac{dy}{dx} = \frac{3}{4}$ oe	**M1**	For finding the value of *their* $\frac{dy}{dx}$
	$y = \ln 4$	**B1**	
	$y - \ln 4 = -\frac{4}{3}(x-1)$	**2**	**M1** for attempt at normal equation using *their* $\frac{dy}{dx}$ and *their y* Allow **A1** if $c = \frac{4}{3} + \ln 4$ seen
	$\left(\frac{4+3\ln 4}{7}, \frac{4+3\ln 4}{7}\right)$	**2**	**M1 dep** for attempt to use $y = x$ and obtain at least one solution
4(a)	$f > 2$	**B1**	
4(b)	$f^{-1}(x) = -\frac{1}{3}\ln(x-2)$ or $\frac{1}{3}\ln\left(\frac{1}{x-2}\right)$ isw	**2**	**M1** for a complete attempt at inverse, allow sign slip but brackets must be used correctly.

© Cambridge University Press & Assessment 2024