MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

M Method marks, awarded for a valid method applied to the problem.

A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.

B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

awrt answers which round to
cao correct answer only
dep dependent
FT follow through after error
isw ignore subsequent working
nfww not from wrong working
oe or equivalent
rot rounded or truncated
SC Special Case
soi seen or implied

Question	Answer	Marks	Partial Marks
1(a)	$8 - 4x = 10$ oe soi and $8 - 4x = -10$ oe soi OR $16x^2 - 64x - 36[=0]$ oe	**M1**	
	$x = -\frac{1}{2},\ x = \frac{9}{2}$	**A2**	mark final answer **A1** for $x = -\frac{1}{2}$ or $x = \frac{9}{2}$
1(b)	$-30x^2 + 105x - 75$ [*0] oe where * is any inequality sign or =	**M1**	condone one sign or arithmetic error
	Critical values 2.5 and 1	**2**	**M1** for factorises or solves a 3-term quadratic to find critical values
	$x < 1$ $x > 2.5$	**A1**	mark final answer

© Cambridge University Press & Assessment 2024

Question	Answer	Marks	Partial Marks
2	$\frac{a+b\sqrt{5}}{1+7\sqrt{5}} = \frac{20}{4+2\sqrt{5}}$ or $\frac{20(1+7\sqrt{5})}{4+2\sqrt{5}}$ oe, soi	**B1**	
	$[20\times]\frac{1+7\sqrt{5}}{4+2\sqrt{5}}\times\frac{4-2\sqrt{5}}{4-2\sqrt{5}}$ or $[10\times]\frac{1+7\sqrt{5}}{2+\sqrt{5}}\times\frac{2-\sqrt{5}}{2-\sqrt{5}}$ oe	**M1**	condone one slip providing it is not in the rationalisation factor
	$\frac{20(28\sqrt{5}-70+4-2\sqrt{5})}{16-20}$ or $\frac{10(14\sqrt{5}-35+2-\sqrt{5})}{4-5}$ oe	**A1**	
	$a = 330$ and $b = -130$ oe, nfww	**A1**	
	Alternative method		
	$\frac{a+b\sqrt{5}}{1+7\sqrt{5}} = \frac{20}{4+2\sqrt{5}}$ oe, soi	**(B1)**	
	Cross multiplies and multiplies out: $20+140\sqrt{5} = 4a+4b\sqrt{5}+2a\sqrt{5}+10b$	**(M1)**	condone one sign or arithmetic error
	Correct pair of simultaneous equations $4a + 10b = 20$ oe $2a + 4b = 140$ oe and solves for $a = 330$ or $b = -130$	**(A1)**	
	$a = 330$ and $b = -130$ oe, nfww	**(A1)**	
3(a)	$\frac{3}{4}\mathbf{a} + \frac{1}{4}\mathbf{b}$ or equivalent simplified expression	**B2**	**B1** for $\mathbf{a} + \frac{1}{4}(\mathbf{b} - \mathbf{a})$ or $\mathbf{b} + \frac{3}{4}(\mathbf{a} - \mathbf{b})$ oe or for $3(\overrightarrow{OP} - \mathbf{a}) = \mathbf{b} - \overrightarrow{OP}$ oe

© Cambridge University Press & Assessment 2024